

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20030130864".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:30
L2	2673	(service with dialed with number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:31
L3	1	1 and 2	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 18:19
L4	4	("20020055852" "20020131404" "6304757" "6751454" ).pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:45
L5	1	4 and (dial\$3 near3 number)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:49
L6	3728	((cell or portable or (hand adj held) or mobile ) adj (phone or telephone or device ) ) and ((dial\$3 or enter\$4) near4 (code or number)) with (identif\$3 or select\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:52
L7	264	((cell or portable or (hand adj held) or mobile ) adj (phone or telephone or device ) ) with ((dial\$3 or enter\$4) near4 (code or number)) with (identif\$3 or select\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:52
L8	1996	((dial\$3 or enter\$4) near4 (code or number)) with (identif\$3 or select\$3) with (application\$1 or service)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:53
L9	49	7 and 8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 17:54
L10	18	9 and (subscrib\$4 near4 (identity or identification or identifier or identif\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 18:19
L11	31	9 not 10	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 18:19

L12	2	9 and (subscrib\$4 with respon\$5 with dial\$3 with (identity or identification or identifier or identif\$4))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 18:24
-----	---	--	---	----	----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20020131404".pn. and server	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:11
L2	1	1 and push	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:21
L3	5875	subscriber and ((cell or mobile or portable ) adj (phone or telephone or device)) and (application or services) and ((select\$3 or enter\$3 or dial\$3) with (code or number\$1) with select\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:24
L4	0	susbscriber with (select\$3 or enter\$3 or dial\$3) with (code or number\$1) with (application\$1 or entry)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:26
L5	0	susbscriber with (select\$3 or enter\$3 or dial\$3) with (code or number\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:25
L6	661	subscriber with (select\$3 or enter\$3 or dial\$3) with (code or number\$1) with (application\$1 or entry)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:26
L7	159	3 and 6	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:26
L8	21	(enter\$4 with code with select\$3) and 7	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/08/31 19:27